





Made to measure, the INITIAL mesh cover is exceptionally strong thanks to its polypropylene mesh and its sewn straps reinforced with PVC profiles. Quick to install thanks to its fixtures, it has had U.V. treatment for perfect durability in time.

PRODUCT SHEET -







GREY

GREEN

- Mesh safety cover for 6 x 13 m pools (+ diam 3 m steps).
- 150 g/m² polypropylene mesh.
- Fixtures adapted to wood or concrete coping.
- Anti U.V. treatment.
- \bullet Bespoke production quality from our French workshops.

SUPERGREEN

Due to its exceptional strength, the Supergreen is the ideal mesh cover for large pools.

PRODUCT SHEET.



GREEN

- For pools from 2.5 x 3 m up to 6 x 13 m (+ \emptyset 3 m steps) (beyond this the cover is not compliant).
- \bullet Polyethylene mesh 235 g/m², unequalled strength.
- 89% opacity to combat photosynthesis while letting the water flow.
- Fixtures adapted to wood or concrete coping.
- PVC reinforcements under the straps, 3 needle sewing for long lasting strength.
- Bespoke production quality from our French workshops.





YOUR POOL'S SECOND SKIN DURING THE LONG WINTER MONTHS, DEL WINTER COVERS FULLY COVER THE POOL SURFACE AND ARE FIXED TO THE COPING TO GUARANTEE A PERFECT STRETCH.

DEL OFFERS A COMPLETE LINE OF COVERS COMPLIANT WITH THE NF P 90-308 STANDARD RELATIVE TO THE FRENCH POOL SAFETY ACT.

CHOICE

The opaque covers make it possible to keep the pool water in the dark, thereby preventing photosynthesis and the proliferation of algae during the winter.

winter.
Lightweight and easy to install, the mesh covers are especially recommended for large pools and for pools equipped with a roller.

PROTECTION

DEL winter covers make it possible to protect your pool and actively combat staining and the premature ageing of your pool coating.

Installing a winter cover contributes to eco-responsible pool management by saving water, chemicals and energy.

SAFETY

As all DEL safety equipment, the line of winter covers is certified by the French National Test Laboratory and is compliant with standard NF P 90-308 relative to the French pool safety law. Thanks to their unique identification number, they are fully traceable and the production process is tracked.

LAKE 550

Made to measure, the Lake 550 cover gives you a worry-free winter.

The robustness of the materials and fixtures provides a perfect stretch to the cover, giving it a perfectly aesthetic appearance. It has an anti-UV and fungicide treatment that will maintain all its qualities over time.

PRODUCT SHEET




- Opaque safety cover for pools from 2.5 x 3 m up to 6 x 14 m.
- Pre-stressed un-deformable Ferrari fabric 550 g/m².
- Fixtures adapted to wood or concrete coping.
- Bespoke production quality from our French workshops.





FIJA Group SWIMMING POOL DEVELOPMENT AND INNOVATION

FIXTURE SYSTEMS



The purpose of DEL safety winter covers is not to replace the vigilance of parents and/or responsible adults which remains the essential factor for the safety of young children. DEL winter covers are safety covers designed to prevent children under 5 years old from accessing the pool. A child can drown in under 3 minutes, no type of protective measure can replace the monitoring and vigilance of a responsible adult

Please read carefully and keep in a safe place.

Supergreen, Initial and Lake 550 are safety winter covers designed to prevent children under 5 years old from accessing the pool. These products comply with the NF P 09-308 standard They are not a substitute for common sense or personal responsibility. Their purpose is not to be a substitute for the vigilance of parents and/or responsible adults, which remains the essential factor in the protection of young children. A child can drown in under 3 minutes, no type of protective measure can replace the monitoring and vigilance of a responsible adult. **Guarantee:** 3 years degressive excluding wear on the coping in compliance with our sales terms and conditions. **Handling time:** installing the cover the cover requires 2 people and takes about 10 minutes. **Use:** during the winter season (a different safety system should be used when the pool is in use). **Wintering:** for correct operation during the wintering period, the water level must be between 15 and 20 cm below the coping. **Packing list** 1 750 x 500 x 350 mm box. **Order form:** to obtain a safety cover suitable for your pool it is essential to fill in the corresponding order form:

Fabricant: DEL La Basse Croix Rouge 35530 BRECE - France. export@del.fija-group.com - www.del-piscine.fr.

For more information about your project ask your pool professional for advice.

Distributor's stamp