



> CYCLONX™ PRO

The essentials of Zodiac® technology

PUSH'N'GO™ | Push'n'Go™ system
(easy access to the filter)

Filter basket with easy access and large capacity (3.7 L)

Multiple cleaning areas (floor, sides, water line)

Cyclonic suction
powerful and constant

Caterpillar tracks

Control unit

Transport cart
(supplied with the cleaner or as an accessory)

RC 4400



Swimming pool dimensions	12 x 6 m
Cleaning areas	Floor / sides / water line
Lengths of cleaning cycle	Floor only: 1.5 - 2 - 2.5 hr Floor / sides / water line: 2 - 2.5 - 3 hr
Cleaning programs	6
Cleaning time adjustment	Yes
Filter full indicator	Yes
Filter cover	Transparent
Cable length	18 m
Caddy	Yes

> CONTROL UNIT FUNCTIONS of the CyclonX™ Pro

SYMBOLS ON CONTROL UNITS	DESCRIPTIONS OF SYMBOLS	RC 4400
	Start / Stop the cleaner	•
	Control indicator	•
	Surfaces to clean* Floor only Floor + sides + water line	•
	Surface check	•
	'Clean filter' indicator	•
	Adjustment of cleaning time	•

* The cleaning cycle selected is identified using the illuminated icons



ELECTRIC CLEANERS

> PUSH'N'GO™



A PATENTED INNOVATION FOR EASY ACCESS TO THE FILTER

To make the filter even easier to access, Zodiac® created Push'n'Go™, an exclusive system that combines **comfort and ease of handling**.



REFERENCE POINT

Find the Push'n'Go™ on the CyclonX™ range.



> HOW DOES IT WORK?

Step 1



Press the Push'n'Go™ button, located on the top of the cleaner, to release the handle of the filter basket.

Step 2



The handle lifts automatically.

Step 3



Just pull the handle to remove the filter basket from the cleaner.

Step 4



Press the two buttons located below the sides of the lid. Pull the handle and remove the cover.

Step 5



The filter basket is ready to be cleaned.



RC 4400 CYCLONX™ PRO

Pool Cleaners > Electrics > RC 4400 CYCLONX™ PRO

2 YEAR WARRANTY

- + 6 cleaning cycles: floor only and all zones
- + Full filter indicator: shows when to clean the filter
- + Transparent filter canister window



Product offered for sale on the «pool dealer» channel

NEW FOR 2015



PUSHINGO

PRODUCT REFERENCE

WR000021

ACCESSORIES INCLUDED IN THE PACK



Trolley



Control box



Filter canister

FOR WHICH TYPE OF POOLS?

Types of pool	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / water line
Number / Length of cleaning cycles	6 cycles / 1h00, 1h30, 2h (Floor only) 2h, 2h30, 3h (Floor / walls / water line)
Power supply	Autonomous, connected to 230 V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks
Transmission	Gear Transmission
Brushes	yes
Lift System	no
Transparent window	yes
Full filter indicator	yes
Remote control	no
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	2
Control box supply	200-240 VAC ; 50 Hz
Power supply	30 VDC
Operating power	150 W
Cable length	18 m
Cleaner size (L x W x h)	41 x 42 x 28 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	9 kg (Packaged weight 18,4 kg)
Filtering surface and level	1370 cm ² / 100µ
Filtering capacity	3,7 L
Theoretical cleaning width	22 cm
Pump Flow	16 m ³ / h



Spare parts page 170

OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Large debris filter canister 200µ	Fine debris filter canister 100µ	Protective cover
reference	R0632602	R0632601	R0632600	W2465A
Public Price ex. VAT	40€ ex. VAT	40€ ex. VAT	40€ ex. VAT	41,72€ ex. VAT

